DT Research

Mobile POS Tablet

DT307SC/ DT307SC-MD

BASIC OPERATION GUIDE

ENGLISH

INTRODUCTION

Thank you for acquiring the DT307SC/ DT307SC-MD Mobile Tablet. The DT307SC/ DT307SC-MD offers 7" display in a compact, rugged, and lightweight package. The DT307SC/ DT307SC-MD enables efficient point-of-service/sales applications, inventory management, and field services.

The DT307SC/ DT307SC-MD is provides the precise features needed to streamline operations and improve productivity, data accuracy, and service.

PACKAGE CONTENTS

- One DT307SC/ DT307SC-MD
- One battery pack
- Basic Operation Guide
- AC-DC power adapter
- Handstrap

*The actual package contents may vary depending on the configuration acquired.

PRECAUTIONS

- Always exercise care when operating and handling the DT307SC/ DT307SC-MD.
- Do not disassemble any portion of the DT307SC/ DT307SC-MD. It will void any product warranty on DT307SC/ DT307SC-MD.
- Do not use any power adapter or charging cradle other than the one provided with the device or acquired from the manufacturer or its partners.
- In the unlikely event that abnormal noise, strange odor, or smoke is present, immediately power down the DT307SC/ DT307SC-MD and disconnect all power sources. Please report the problem to your device provider immediately.

DT307SC/ DT307SC-MD I/O Ports

DT307SC Front View

DT307SC-MD Front View

DT307SC/ DT307SC-MD Rear View



DT307SC/ DT307SC-MD Side View



- A Magnetic stripe reader (DT307SC only)
- B Trigger button
- C Camera
- D Power button
- E Battery switch
- F Micro-SD card reader (insided the battery cap)
- G Speaker
- H mini USB port
- I Headphone-out
- J USB 2.0 port
- K DC-in

DT307SC/ DT307SC-MD LED Status Indicators

1. Power Mode Status Indicator:

- Blue: Device is powered on
- Blinking Blue: Main battery charging
- Orange: Low battery mode
- Blinking Orange: Extremely low battery mode
- Off: Device is powered off or in suspend mode

2. Wi-Fi Status Indicator:

- Blue: Connected to a wireless AP
- Blinking blue: Connecting to a wireless AP
- Off: Wi-Fi is disabled

DT Research, Inc.
2000 Concourse Drive, San Jose, CA 95131 http://www.dtresearch.com
Copyright © 2013, DT Research, Inc. All Rights Reserved.
DT Research is a registered trademark of DT Research, Inc.

BOG041013DT307SCMDENG

DT Research

Mobile POS Tablet

DT307SC/ DT307SC-MD

BASIC OPERATION GUIDE

ENGLISH

INTRODUCTION

Thank you for acquiring the DT307SC/ DT307SC-MD Mobile Tablet. The DT307SC/ DT307SC-MD offers 7” display in a compact, rugged, and lightweight package. The DT307SC/ DT307SC-MD enables efficient point-of-service/sales applications, inventory management, and field services.

The DT307SC/ DT307SC-MD is provides the precise features needed to streamline operations and improve productivity, data accuracy, and service.

PACKAGE CONTENTS

- One DT307SC/ DT307SC-MD
- One battery pack
- Basic Operation Guide
- AC-DC power adapter
- Handstrap

*The actual package contents may vary depending on the configuration acquired.

PRECAUTIONS

- Always exercise care when operating and handling the DT307SC/ DT307SC-MD.
- Do not disassemble any portion of the DT307SC/ DT307SC-MD, as this will void any product warranty.
- Do not use any power adapter or charging cradle other than the one provided with the tablet or acquired from the manufacturer or its partners.
- In the unlikely event that abnormal noise, strange odor, or smoke is present, immediately power down the DT307SC/ DT307SC-MD and disconnect all power sources. Please report the problem to your device provider immediately.

DT307SC/ DT307SC-MD I/O Ports

DT307SC Front View

DT307SC-MD Front View

DT307SC/ DT307SC-MD Rear View

DT307SC/ DT307SC-MD Side View



- A Magnetic stripe reader (DT307SC only)
- B Trigger button
- C Camera
- D mini USB port
- E SD card reader
- F Headphone-out
- G USB 2.0 port
- H DC-in

DT307SC/ DT307SC-MD LED Status Indicators

1. Power Mode Status Indicator:

- Blue: Device is powered on
- Blinking Blue: Main battery charging
- Orange: Low battery mode
- Blinking Orange: Extremely low battery mode
- Off: Device is powered off or in suspend mode

2. Wi-Fi Status Indicator:

- Blue: The device has been connected to a wireless AP
- Blinking blue: The device is connecting to a wireless AP
- Off: Wi-Fi is disabled